



CLIC Oak
BY HURFORD FLOORING



EASY AS
ONE,
TWO,
CLIC



CLIC Oak by Hurford Flooring is stylish, durable and simple to install.

CLIC Oak has been designed to compliment a vast variety of interior styles and decor.

The distinctive knots, grain and texture of CLIC Oaks' surface are combined with quality materials making up the multi-layer construction. These features replicate the same elements of a true solid Oak floor with the added strength and durability that comes with the engineered production.

CLIC Oak incorporates click flooring technology, which is based on a single action method of flooring installation. Easy as one, two, CLIC!



The ability to simplify means to eliminate the unnecessary so that the necessary may speak.

The CLIC Oak collection features 6 outstanding colours to accentuate the Oaks distinct natural grain and features. The options include the top five trending colours from Hurford Flooring's Elegant Oak range, plus Monaco, an exclusive stain available only with CLIC Oak.



Natural



Whitewash



Smouldered



Slate Grey



Monaco

Vintage

Colours that enhance without dominating the room.



Get the look

Highlight darker feature furniture and window coverings with CLIC Oak in 'Natural' teamed with white walls, pops of bold colour and geometric patterns.



Bright ideas

Natural light works wonders making a space feel open, bright and fresh. For an evening, warm light bouncing off a light colour CLIC Oak floor will generate pleasant moody hues and a relaxed atmosphere.



Mix the old & new


Combine stylish modern décor and textiles with vintage pieces.



A splash of colour

Be bold. Colour is the creator! Blend different shades of colour to create that wow factor. Finish off by adding indoor plants and/or flowers to bring the space to life.

CLIC Oak join system & finish



CLIC Oak's joining system allows for quick and easy installation and can be used for both floating and glue down applications. Installing CLIC Oak is simple. It's based on a single fold down action saving time and costs. The 5G locking technology is an essential component to CLIC Oak's design, guaranteeing superior locking strength and ensuring no separation forces during or after installation.



CLIC Oak features a 4mm authentic European Oak lamella which is pre-finished using a resilient 6 coat Klumpp UV lacquer system. This system preserves the natural beauty of the Oak and ensures a stain, scuff, scratch and slip resistant floor. The 4mm lamella is thick enough to be re-finished, or re-sanded, assuring CLIC Oak's longevity.

CLIC Oak is backed by a 25 Year Construction Warranty.



Single action fold installation...

The boards are locked on the long side with a traditional angling method. On the short side, the 5G locking system enables simple and fast installation by vertical snap without the need of any tools. Strong and robust locking is ensured by an optimised profile and a glass fibre reinforced tongue on the short side of the panel.



EASY AS
ONE,
TWO,
CLIC

Matching accessories


CLIC Oak's range can be teamed with a modern selection of matching accessories. Including universal connectors to create a smooth transition between floor coverings and connecting rooms, plus subtle end trims allowing for a seamless finish either between floor coverings and horizontal/vertical surfaces

Matching accessories include Aluminium Trims, MDF Wrapped Scotia's and Floating Floor Underlay.

everWALK - 2mm closed cell underlay with attached moisture protection.

hushWALK - 2mm ultra high density premium underlay with attached moisture protection.

The trims options include stair nosing, end section trims and universal connectors.



*It's the little things that
make the big difference.*

CLIC Oak specifications

The collective features of CLIC Oak's quality construction and finishes make it a suitable option for most flooring applications.

Species: European Oak

Colour Stains: Vintage, Smouldered, Whitewash, Monaco, Slate Grey, Natural

Appearance: Rustic

Core Material: Hevea

Locking System: Valinge 5G Glueless joining system

Profile: Micro bevel 4 sides

Size: 185mm x 13.5mm

Wear Layer: 4mm lamella (nominal)

Length: 1,820mm & 2,130mm

Surface: Medium wire brushed texture

Coating: UV-cured 6 coats of Klumpp Coating

Finish: Matt

Coverage: 1,820mm - 2.020M²/box & 2,130mm – 2.364M²/box

Packaging: 6 rows per box, maximum of 2 nested rows

Install Suitability: Floating or direct glued

Install Sub-Floor Heating: Yes

Install Over: Wood, concrete, plywood & plywood over concrete

Colour Match Accessories: Aluminium trims & MDF wrapped scotia





© #clicoak

QLD Sales & Distribution (H.O.)

400 Stapylton-Jacobs Well Road
Stapylton QLD 4207
Tel: +61 (7) 3442 6300
Fax: +61 (7) 3442 6396
salesqld@hurfordwholesale.com.au

NSW Sales & Distribution

Unit 6, 34-38 Anzac Avenue
Smeaton Grange NSW 2567
Tel: +61 (2) 4646 1406
Fax: +61 (2) 4646 1649
salesnsw@hurfordwholesale.com.au

VIC & TAS Sales & Distribution

47-57 Wedgewood Road
Hallam VIC 3803
Tel: +61 (3) 8794 3300
Fax: +61 (3) 8794 3398
salesvic@hurfordwholesale.com.au

SA & NT Sales & Distribution

7-9 Acorn Road
Camden Park SA 5038
Tel: +61 (8) 8376 6694
Fax: +61 (8) 8376 8270
salessa@hurfordwholesale.com.au

Head Office (mailing address)

PO Box 2270
Beenleigh QLD 4207

WA Sales

Tel: 0448 132 955 (Tim Stoner)
saleswa@hurfordwholesale.com.au



Distributed by: